

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended



A. M. G. VENOL Fully Synthetic Long Life SP CF 5W20

Creation date 7th September 2026 Version 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1. Product identifier** A. M. G. VENOL Fully Synthetic Long Life SP CF 5W20
Substance / mixture mixture
- 1.2. Relevant identified uses of the substance or mixture and uses advised against**
Mixture's intended use
Engine oil
Mixture uses advised against
The product should not be used in ways other than those referred in Section 1.
- 1.3. Details of the supplier of the safety data sheet**
Manufacturer
Name or trade name VENOL MOTOR OIL Spółka z ograniczoną odpowiedzialnością
Address Lodowa 107, Łódź, 93-232
Poland
Phone +48 42 649 15 68
Email venol@venol.pl
Web address venol.de
Competent person responsible for the safety data sheet
Name Laboratorium VENOL MOTOR OIL
Email laboratorium@venol.de
- 1.4. Emergency telephone number**
European emergency number: 112

SECTION 2: Hazards identification

- 2.1. Classification of the substance or mixture**
Classification of the mixture in accordance with Regulation (EC) No 1272/2008
The mixture is classified as dangerous.

Aquatic Chronic 3, H412
Most serious adverse effects on human health and the environment
Harmful to aquatic life with long lasting effects.
- 2.2. Label elements**
Hazard statements
H412 Harmful to aquatic life with long lasting effects.
Precautionary statements
P273 Avoid release to the environment.
P501 Dispose of contents/container properly labeled waste containers in accordance with national regulations.
Supplemental information
EUH208 Contains Molybdenum polysulphide long chain alkyl dithiocarbamate complex. May produce an allergic reaction.
- 2.3. Other hazards**
The mixture contains substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

SECTION 3: Composition/information on ingredients

- 3.2. Mixtures**
Chemical characterization
Mixture.
Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
CAS: 68037-01-4 EC: 500-183-1 Registration number: 01-2119486452-34-XXXX	1-Decene, homopolymer, hydrogenated	<70	Asp. Tox. 1, H304	6

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended



A. M. G. VENOL Fully Synthetic Long Life SP CF 5W20

Creation date 7th September 2026 Version 1.0

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
CAS: 163149-28-8 Registration number: 01-2119543695-30-XXXX	1-Dodecene, polymer with 1-decene and 1-octene, hydrogenated	<70	Asp. Tox. 1, H304	6
CAS: 151006-60-9 EC: 436-190-0 Registration number: 01-2119523580-47-XXXX	1-Dodecene, polymer with 1-decene, hydrogenated	<70	Asp. Tox. 1, H304	
Index: 649-467-00-8 CAS: 64742-54-7 EC: 265-157-1 Registration number: 01-2119484627-25-XXXX	Distillates (petroleum), hydrotreated heavy paraffinic	15-20	Asp. Tox. 1, H304	1, 6, 7
Index: 649-467-00-8 CAS: 64742-54-7 EC: 265-157-1 Registration number: 01-2119484627-25-XXXX	Distillates (petroleum), hydrotreated heavy paraffinic	1-<3	not classified as dangerous	1, 7
Index: 649-474-00-6 CAS: 64742-65-0 EC: 265-169-7 Registration number: 01-2119471299-27-XXXX	Distillates (petroleum), solvent-dewaxed heavy paraffinic	1-<2	Asp. Tox. 1, H304	1, 6, 7
CAS: 68784-26-9 EC: 701-251-5 Registration number: 01-2119524004-56-XXXX	Phenol, paraalkylation products with C10-15 branched olefins (C12 rich) derived from propene oligomerization, carbonates, calcium salts, overbased, sulfurized, including distillates (petroleum), hydrotreated, solvent-refined, solvent-dewaxed, or catalytic dewaxed, light or heavy paraffinic C15-C50	0.5-<1.5	Aquatic Chronic 4, H413	
Index: 649-468-00-3 CAS: 64742-55-8 EC: 265-158-7 Registration number: 01-2119487077-29-XXXX	Distillates (petroleum), hydrotreated light paraffinic	<0.32	Asp. Tox. 1, H304	1, 5, 6, 7
EC: 457-320-2 Registration number: 01-0000019337-66-XXXX	Molybdenum polysulphide long chain alkyl dithiocarbamate complex	0.15-<0.21	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 3, H412	
Index: 604-092-00-9 CAS: 74499-35-7	phenol, (tetrapropenyl) derivatives	<0.05	Skin Corr. 1C, H314 Eye Dam. 1, H318 Repr. 1B, H360F Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=10)	2, 3, 4, 5
Index: 612-026-00-5 CAS: 122-39-4 EC: 204-539-4	diphenylamine	<0.05	Acute Tox. 3, H301+H311+H331 STOT RE 2 (**), H373 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 1, H410 (M=1)	

Notes

** another exposure route cannot be ruled out

- Note L: The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions – Dimethyl sulphoxide extraction refractive index method" Institute of Petroleum, London), in which case a classification in accordance with Title II of this Regulation shall be performed also for that hazard class.
- Substance of very high concern - SVHC.
- Endocrine disruptor for human health
- Endocrine disruptor for the environment
- The use of the substance is restricted by Annex XVII of REACH Regulation
- Substance of unknown or variable composition, complex reaction products or biological materials - UVCB.
- Fulfilled Note L

Full text of all classifications and hazard statements is given in the section 16.

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended



A. M. G. VENOL Fully Synthetic Long Life SP CF 5W20

Creation date

7th September 2026

Version

1.0

SECTION 4: First aid measures

4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

If inhaled

Move the victim to fresh air, keep him warm and calm. Contact a doctor if disturbing symptoms occur.

If on skin

Take off contaminated clothing. Wash contaminated skin with plenty of soap and water, and then rinse with water. In case of disturbing symptoms, consult a doctor. Wash clothes before reuse.

If in eyes

Protect non-irritated eye, remove contact lenses. Rinse contaminated eyes thoroughly with water for at least 10 minutes. with open eyelids. Avoid strong water stream - risk of cornea damage. Consult a doctor if disturbing symptoms occur.

If swallowed

Do not induce vomiting! In case of spontaneous vomiting, tilt the injured person forward in order to minimize the risk of aspiration. Do not give milk, fat or alcohol. Never give anything by mouth to an unconscious person. Consult a doctor if disturbing symptoms occur.

4.2. Most important symptoms and effects, both acute and delayed

If inhaled

Not expected.

If on skin

For a prolonged contact possible dryness, skin cracking and chronic dermatitis.

If in eyes

Redness, tearing, burning.

If swallowed

Stomach pain, nausea, diarrhoea.

4.3. Indication of any immediate medical attention and special treatment needed

Decision on the method of the helping procedure shall be made by a physician after a thorough assessment of the victim's condition. Symptomatic treatment.

More information

Other relevant information is not available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Foams, water mist, dry agents, CO₂.

Unsuitable extinguishing media

Water - full jet.

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Wear general protective equipment, typical in case of fire. Do not stay in the fire-endangered area without appropriate chemical-resistant clothing and self-contained breathing apparatus. Cool endangered tanks with water spray from a safe distance. Collect used extinguishing media. Do not let them get into the sewage system, surface waters, groundwater and soil.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For people not belonging to the personnel eliminating the consequences of the accident: limit the access of bystanders to the accident area until the completion of appropriate cleaning operations. In case of large spills, isolate the endangered area. Avoid contact with skin and eyes. Do not inhale vapors. Provide adequate ventilation. Keep away all sources of ignition, extinguish open fire, do not smoke. Use personal protection measures.

For persons decomposing the consequences of an accident: make sure that the removal of the failure and its effects is performed only by trained personnel. Avoid contact with skin and eyes. Use personal protection measures.

6.2. Environmental precautions

Do not dispose to drains, surface and ground water. For release of bigger amounts of the mixture take measures to prevent spreading in the environment. Notify relevant rescue services.

6.3. Methods and material for containment and cleaning up

Place the damaged packaging in a replacement packaging. Collect the leak with liquid-absorbing materials (eg sand, earth, diatomaceous earth, vermiculite) and place in closed containers. Treat the collected material as waste. Clean and ventilate the contaminated place.

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended



A. M. G. VENOL Fully Synthetic Long Life SP CF 5W20

Creation date 7th September 2026 Version 1.0

6.4. Reference to other sections

See the Section 7, 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Work in accordance with the safety and hygiene rules. Do not eat, drink or smoke while working. Avoid contact with eyes and skin. Do not inhale vapors and aerosols. Wash hands before breaks and at the end of work. Provide adequate ventilation. Remove all sources of ignition - do not smoke. Do not use sparking tools. Keep unused containers tightly closed. Keep contaminated / soaked clothing away from sources of heat and ignition.

7.2. Conditions for safe storage, including any incompatibilities

Store in original stainless steel wrapping or container in a dry, cool and well ventilated area. Avoid direct sunlight. Keep away from food, foodstuffs and animal fodder. Do not store together with incompatible substances (see section 10). Containers that have been opened must be resealed and stored in an upright position to prevent leakage.

7.3. Specific end use(s)

No information about uses other than those mentioned in subsection 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

DNEL

Distillates (petroleum), hydrotreated heavy paraffinic			
Workers / consumers	Route of exposure	Value	Effect
Workers	Inhalation	2.7 mg/m ³	Chronic effects systemic
Workers	Inhalation	5.4 mg/m ³	Chronic effects local
Consumers	Inhalation	1.2 mg/m ³	Chronic effects local
Consumers	Oral	0.74 mg/kg	Chronic effects systemic
	Dermal	1.0 mg/kg	Chronic effects systemic

8.2. Exposure controls

Observe general safety and health protection rules. Do not eat, drink or smoke while working. Wash your hands thoroughly before a break and after finish of work. Avoid skin and eye contact. Provide general and/or local ventilation at a work place in order to maintain the hazardous agent concentration in the air below the set values of exposure limits.

Eye/face protection

Use protective goggles if a risk of splash occurs.

Skin protection

Hand and body protection: it is recommended to use protective gloves made of e.g. perbutyl, viton, butyl rubber. For short-term contact use protective gloves with the protection index 2 or more (breakthrough time > 30 min). For long term contact use protective gloves with the protection index 6 (breakthrough time > 480 min). Use protective clothing.

Material that is used for gloves must be impermeable and resistant to the product action. The material should be selected considering breakthrough times, permeation and degradation rate. In addition, the selection of appropriate gloves does not depend on the material only, but also on other qualitative features and changes depending on the manufacturer. Obtain information on the exact breakthrough time from the manufacturer and observe it.

Respiratory protection

Not required with proper ventilation. In case of failure or exposure to high concentration of vapors in the air, exceeding the permissible NDS values, use respiratory protection - a mask with an organic vapor absorber.

Thermal hazard

Data not available.

Environmental exposure controls

The product should not be allowed to enter groundwater, sewage system, sewage or soil. Possible emissions from ventilation systems and process equipment should be checked in order to determine their compliance with the requirements of environmental protection law.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	liquid
Colour	data not available
Odour	characteristic of petroleum products

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended



A. M. G. VENOL Fully Synthetic Long Life SP CF 5W20

Creation date 7th September 2026 Version 1.0

Melting point/freezing point	data not available
Boiling point or initial boiling point and boiling range	data not available
Flammability	data not available
Lower and upper explosion limit	data not available
Flash point	240 °C
Auto-ignition temperature	data not available
Decomposition temperature	data not available
pH	data not available
Kinematic viscosity	39 mm ² /s at 40 °C
Solubility in water	insoluble
Partition coefficient n-octanol/water (log value)	data not available
Vapour pressure	data not available
Density and/or relative density	
Density	0.8430 g/cm ³ at 15 °C
Relative vapour density	data not available
Particle characteristics	data not available
Form	liquid: viscous

9.2. Other information

Viscosity index: 170 min. Kinematic viscosity (100°C): 7.6 mm²/s. Pour point: -60°C.

SECTION 10: Stability and reactivity

10.1. Reactivity

The product does not undergo hazardous polymerization. See also subsections 10.3 - 10.5.

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid exposure to direct sunlight, heat and ignition sources.

10.5. Incompatible materials

Avoid contact with strong oxidants.

10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological data is available for the mixture.

Acute toxicity

Based on available data the classification criteria are not met.

A. M. G. VENOL Fully Synthetic Long Life SP CF 5W20							
Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex	Value determination
Oral	ATE		317460 mg/kg				Calculation of value
Dermal	ATE		952381 mg/kg				Calculation of value
Inhalation (vapor)	ATE		9524 mg/l				Calculation of value

1-Decene, homopolymer, hydrogenated							
Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex	Value determination
Oral	LD ₅₀		>5000 mg/kg		Rat (Rattus norvegicus)		

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended



A. M. G. VENOL Fully Synthetic Long Life SP CF 5W20

Creation date 7th September 2026 Version 1.0

1-Decene, homopolymer, hydrogenated

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex	Value determination
Inhalation	LD ₅₀		>5.2 mg/l	4 hours	Rat (Rattus norvegicus)	F/M	
Skin	LD ₅₀		>2000 mg/kg		Rat (Rattus norvegicus)		

Distillates (petroleum), hydrotreated heavy paraffinic

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex	Value determination
Oral	LD ₅₀	OECD 401	>5000 mg/kg		Rat (Rattus norvegicus)		
Dermal	LD ₅₀	OECD 402	>5000 mg/kg		Rabbit		
Inhalation	LD ₅₀	OECD 403	5.53 mg/l	4 hours	Rat (Rattus norvegicus)		
Oral	LD ₅₀		>5000 mg/kg		Rat (Rattus norvegicus)		
Skin	LD ₅₀		>3000 mg/kg		Rabbit		

Distillates (petroleum), solvent-dewaxed heavy paraffinic

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex	Value determination
Oral	LD ₅₀		>5000 mg/kg		Rat (Rattus norvegicus)		
Dermal	LD ₅₀		>5000 mg/kg		Rabbit		
	LC ₅₀		>5 mg/l				

Skin corrosion/irritation

Based on available data the classification criteria are not met.

Serious eye damage/irritation

Based on available data the classification criteria are not met.

Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

Germ cell mutagenicity

Based on available data the classification criteria are not met.

Carcinogenicity

Based on available data the classification criteria are not met.

Reproductive toxicity

Based on available data the classification criteria are not met.

Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

Aspiration hazard

Based on available data the classification criteria are not met.

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended



A. M. G. VENOL Fully Synthetic Long Life SP CF 5W20

Creation date 7th September 2026 Version 1.0

11.2. Information on other hazards

Endocrine disrupting properties

The mixture contains substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

Other information

not available

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic life with long lasting effects.

Acute toxicity

1-Decene, homopolymer, hydrogenated					
Parameter	Method	Value	Exposure time	Species	Environment
LD ₅₀		>1000 mg/l	96 hours	Fish (Salmo gairdneri)	
LD ₅₀		>750 mg/l	96 hours	Fish (Pimephales promelas)	
EC ₅₀		190 mg/l	48 hours	Aquatic invertebrates (Daphnia magna)	
NOELR		1000 mg/kg	72 hours	Algae (Selenastrum capricornutum)	

Distillates (petroleum), hydrotreated heavy paraffinic					
Parameter	Method	Value	Exposure time	Species	Environment
LL ₅₀	OECD 203	>100 mg/l	96 hours	Fish (Pimephales promelas)	
EC ₅₀	OECD 202	>1000 mg/kg	48 hours	Daphnia (Daphnia magna)	
EC ₅₀	OECD 201	>100 mg/kg	72 hours	Algae (Pseudokirchneriella subcapitata)	
NOEC	OECD 201	100 mg/l	72 hours	Algae (Pseudokirchneriella subcapitata)	

Distillates (petroleum), solvent-dewaxed heavy paraffinic					
Parameter	Method	Value	Exposure time	Species	Environment
LL ₅₀		100 mg/l	96 hours	Fish (Pimephales promelas)	
EC ₅₀		>1000 mg/l	48 hours	Daphnia (Daphnia magna)	
EC ₅₀		>100 mg/l	72 hours	Algae (Pseudokirchneriella subcapitata)	

Molybdenum polysulphide long chain alkyl dithiocarbamate complex					
Parameter	Method	Value	Exposure time	Species	Environment
NOEC	OECD 203	94.8 mg/l	96 hours	Fish (Oncorhynchus mykiss)	
EL ₅₀	OECD 202	50 mg/l	48 hours	Daphnia (Daphnia magna)	
EbC ₅₀	OECD 201	9.62 mg/l	72 hours	Algae (Pseudokirchneriella subcapitata)	
IC ₅₀		>100 mg/l	3 hours	Bacteria	

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended



A. M. G. VENOL Fully Synthetic Long Life SP CF 5W20

Creation date 7th September 2026 Version 1.0

Chronic toxicity

Distillates (petroleum), hydrotreated heavy paraffinic

Parameter	Method	Value	Exposure time	Species	Environment
NOEC	OECD 211	10 mg/l	21 days	Daphnia (Daphnia magna)	

Distillates (petroleum), solvent-dewaxed heavy paraffinic

Parameter	Method	Value	Exposure time	Species	Environment
NOEC		10 mg/l	21 days	Daphnia (Daphnia magna)	
NOEC		100 mg/l	72 hours	Algae (Pseudokirchneriella subcapitata)	

Molybdenum polysulphide long chain alkyl dithiocarbamate complex

Parameter	Method	Value	Exposure time	Species	Environment
NOEC		100 mg/l	21 days	Daphnia (Daphnia magna)	

12.2. Persistence and degradability

not available

Biodegradability

Molybdenum polysulphide long chain alkyl dithiocarbamate complex

Parameter	Method	Value	Exposure time	Environment	Result
	OECD 301	22.75 %	29 days		Hardly biodegradable

12.3. Bioaccumulative potential

Data not available.

Molybdenum polysulphide long chain alkyl dithiocarbamate complex

Parameter	Method	Value	Temperature [°C]	Value determination
BCF	OECD 305	88	25°C	Read-across approach

12.4. Mobility in soil

The product does not dissolve in water. The mobility of substances / components of the mixture depends on their hydrophilic and hydrophobic properties as well as abiotic and biotic conditions of the soil, including its structure, climatic conditions, season of the year and soil organisms.

12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Endocrine disrupting properties

The mixture contains substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7. Other adverse effects

Data not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy. Perfectly cleaned containers can be submitted for recycling. The waste code should be given at the place of its production.

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended



A. M. G. VENOL Fully Synthetic Long Life SP CF 5W20

Creation date 7th September 2026 Version 1.0

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

SECTION 14: Transport information

- 14.1. UN number or ID number**
not subject to transport regulations
- 14.2. UN proper shipping name**
not relevant
- 14.3. Transport hazard class(es)**
not relevant
- 14.4. Packing group**
not relevant
- 14.5. Environmental hazards**
not relevant
- 14.6. Special precautions for user**
Reference in the Sections 4 to 8.
- 14.7. Maritime transport in bulk according to IMO instruments**
not relevant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

Restrictions pursuant to Annex XVII of Regulation (EC) No. 1907/2006 (REACH), as amended

Distillates (petroleum), hydrotreated light paraffinic

Restriction	Conditions of restriction
28	1. Shall not be placed on the market, or used, — as substances, — as constituents of other substances, or, — in mixtures, for supply to the general public when the individual concentration in the substance or mixture is equal to or greater than: — either the relevant specific concentration limit specified in Part 3 of Annex VI to Regulation (EC) No 1272/2008, or, — the relevant generic concentration limit specified in Part 3 of Annex I of Regulation (EC) No 1272/2008. Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of such substances and mixtures is marked visibly, legibly and indelibly as follows: "Restricted to professional users". 2. By way of derogation, paragraph 1 shall not apply to: (a) medicinal or veterinary products as defined by Directive 2001/82/EC and Directive 2001/83/EC; (b) cosmetic products as defined by Directive 76/768/EEC; (c) the following fuels and oil products: — motor fuels which are covered by Directive 98/70/EC, — mineral oil products intended for use as fuel in mobile or fixed combustion plants, — fuels sold in closed systems (e.g. liquid gas bottles); (d) artists' paints covered by Regulation (EC) No 1272/2008; (e) the substances listed in Appendix 11, column 1, for the applications or uses listed in Appendix 11, column 2. Where a date is specified in column 2 of Appendix 11, the derogation shall apply until the said date. (f) devices covered by Regulation (EU) 2017/745.

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended



A. M. G. VENOL Fully Synthetic Long Life SP CF 5W20

Creation date 7th September 2026 Version 1.0

phenol, (tetrapropenyl) derivatives

Restriction	Conditions of restriction
30	1. Shall not be placed on the market, or used, — as substances, — as constituents of other substances, or, — in mixtures, for supply to the general public when the individual concentration in the substance or mixture is equal to or greater than: — either the relevant specific concentration limit specified in Part 3 of Annex VI to Regulation (EC) No 1272/2008, or, — the relevant generic concentration limit specified in Part 3 of Annex I of Regulation (EC) No 1272/2008. Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of such substances and mixtures is marked visibly, legibly and indelibly as follows: “Restricted to professional users”. 2. By way of derogation, paragraph 1 shall not apply to: (a) medicinal or veterinary products as defined by Directive 2001/82/EC and Directive 2001/83/EC; (b) cosmetic products as defined by Directive 76/768/EEC; (c) the following fuels and oil products: — motor fuels which are covered by Directive 98/70/EC, — mineral oil products intended for use as fuel in mobile or fixed combustion plants, — fuels sold in closed systems (e.g. liquid gas bottles); (d) artists' paints covered by Regulation (EC) No 1272/2008; (e) the substances listed in Appendix 11, column 1, for the applications or uses listed in Appendix 11, column 2. Where a date is specified in column 2 of Appendix 11, the derogation shall apply until the said date. (f) devices covered by Regulation (EU) 2017/745.

15.2. Chemical safety assessment

Chemical safety assessment for the mixture is not required.

SECTION 16: Other information

A list of standard risk phrases used in the safety data sheet

EUH208	Contains Molybdenum polysulphide long chain alkyl dithiocarbamate complex. May produce an allergic reaction.
H301+H311+H331	Toxic if swallowed, in contact with skin or if inhaled.
H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H360F	May damage fertility.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

Guidelines for safe handling used in the safety data sheet

P273	Avoid release to the environment.
P501	Dispose of contents/container properly labeled waste containers in accordance with national regulations.

Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

Key to abbreviations and acronyms used in the safety data sheet

Acute Tox.	Acute toxicity
ADR	Agreement concerning the international carriage of dangerous goods by road
Aquatic Acute	Hazardous to the aquatic environment
Aquatic Chronic	Hazardous to the aquatic environment (chronic)
Asp. Tox.	Aspiration hazard
ATE	Acute toxicity estimate
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended



A. M. G. VENOL Fully Synthetic Long Life SP CF 5W20

Creation date	7th September 2026	Version	1.0
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures		
EC	Identification code for each substance listed in EINECS		
EC ₅₀	Concentration of a substance when it is affected 50 % of the population		
EINECS	European Inventory of Existing Commercial Chemical Substances		
EL ₅₀	Effective Loading for 50 % of the tested organisms		
EmS	Emergency Response Procedures for Ships Carrying Dangerous Goods		
EU	European Union		
EuPCS	European Product Categorisation System		
Eye Dam.	Serious eye damage		
IATA	International Air Transport Association		
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals		
IC ₅₀	Concentration causing 50% blockade		
ICAO	International Civil Aviation Organization		
IMDG	International Maritime Dangerous Goods		
IMO	International Maritime Organization		
INCI	International Nomenclature of Cosmetic Ingredients		
ISO	International Organization for Standardization		
IUPAC	International Union of Pure and Applied Chemistry		
LC ₅₀	Lethal concentration of a substance in which it can be expected death of 50% of the population		
LD ₅₀	Lethal dose of a substance in which it can be expected death of 50% of the population		
LL ₅₀	Lethal Loading for 50 % of tested organisms		
log Kow	Octanol-water partition coefficient		
NOEC	No observed effect concentration		
NOEL	No observed effect level		
NOELR	No Observed Effect Loading Rate		
OEL	Occupational Exposure Limits		
PBT	Persistent, bioaccumulative and toxic		
PMT	Persistent, mobile and toxic		
ppm	Parts per million		
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals		
Repr.	Reproductive toxicity		
RID	Regulation concerning the International Carriage of Dangerous Goods by Rail		
Skin Corr.	Skin corrosion		
Skin Irrit.	Skin irritation		
Skin Sens.	Skin sensitization		
STOT RE	Specific target organ toxicity - repeated exposure		
UN number	Four-figure identification number of the substance or article taken from the UN Model Regulations		
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials		
VOC	Volatile organic compounds		
vPvB	Very persistent and very bioaccumulative		
vPvM	Very persistent and very mobile		

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

More information

Classification procedure - calculation method.

Statement

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended



A. M. G. VENOL Fully Synthetic Long Life SP CF 5W20

Creation date	7th September 2026	Version	1.0
---------------	--------------------	---------	-----

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.