

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended



A. M. G. VENOL DPF CAT CLEANER

Creation date	8th August 2016	Version	3.0
Revision date	19th August 2025		

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1. Product identifier**
Substance / mixture A. M. G. VENOL DPF CAT CLEANER
UFI mixture 7470-Y08J-F00N-Q2RG
- 1.2. Relevant identified uses of the substance or mixture and uses advised against**
Mixture's intended use
Particulate filter (DPF) cleaner.
Mixture uses advised against
The product should not be used in ways other than those referred in Section 1.
- 1.3. Details of the supplier of the safety data sheet**
Downstream user
Name or trade name VENOL MOTOR OIL Spółka z ograniczoną odpowiedzialnością
Address Lodowa 107, Łódź, 93-232
Poland
Phone +48 42 649 15 68
Email venol@venol.pl
Web address venol.de
Competent person responsible for the safety data sheet
Name Laboratorium VENOL MOTOR OIL
Email laboratorium@venol.de
- 1.4. Emergency telephone number**
European emergency number: 112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification of the mixture in accordance with Regulation (EC) No 1272/2008

The mixture is classified as dangerous.

Asp. Tox. 1, H304
Eye Irrit. 2, H319
STOT RE 2, H373
Aquatic Chronic 3, H412

Most serious adverse effects on human health and the environment

May be fatal if swallowed and enters airways. Causes serious eye irritation. May cause damage to organs through prolonged or repeated exposure. Harmful to aquatic life with long lasting effects.

2.2. Label elements

Hazard pictogram



Signal word

Danger

Hazardous substances

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics
Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)
Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, aromatics (2-30 %)
naphtha (petroleum), hydrodesulphurized heavy

Hazard statements

H304	May be fatal if swallowed and enters airways.
H319	Causes serious eye irritation.
H373	May cause damage to organs through prolonged or repeated exposure.
H412	Harmful to aquatic life with long lasting effects.

Precautionary statements

P260	Do not breathe mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended



A. M. G. VENOL DPF CAT CLEANER

Creation date 8th August 2016 Version 3.0
Revision date 19th August 2025

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P331 Do NOT induce vomiting.
P337+P313 If eye irritation persists: Get medical advice/attention.
P501 Dispose of contents/container properly labeled waste containers in accordance with national regulations.

2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixture.

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
EC: 918-481-9 Registration number: 01-2119457273-39-XXXX	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics	65-75	Asp. Tox. 1, H304 EUH066	3
CAS: 1174522-15-6 EC: 925-653-7 Registration number: 01-2119458869-15-XXXX	Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)	5-<15	Asp. Tox. 1, H304 Aquatic Chronic 3, H412 EUH066	3
EC: 920-360-0 Registration number: 01-2119448343-41-XXXX	Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, aromatics (2-30 %)	5-<15	Asp. Tox. 1, H304 EUH066	
CAS: 84238-45-9 EC: 282-500-0 Registration number: 01-2120783679-31-XXXX	Benzenesulfonic acid, 4-dodecyl-, cerium(4+) salt, basic	1-<3	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 2, H411	
Index: 649-330-00-2 CAS: 64742-82-1 EC: 265-185-4 Registration number: 01-2119473977-17-XXXX	naphtha (petroleum), hydrodesulphurized heavy	1-<3	Asp. Tox. 1, H304 Muta. 1B, H340 STOT RE 1, H372 (central nervous system) Aquatic Chronic 3, H412 EUH066	1, 2, 4
CAS: 1189173-42-9 EC: 918-811-1 Registration number: 01-2119463583-34-XXXX	Hydrocarbons, C10, aromatics, <1% naphthalene	<1.5	Asp. Tox. 1, H304 STOT SE 3, H336 Aquatic Chronic 2, H411 EUH066	

Notes

- 1 Note P: The harmonised classification as a carcinogen or mutagen applies unless it can be shown that the substance contains less than 0,1 % w/w benzene (Einecs No 200-753-7), in which case a classification in accordance with Title II of this Regulation shall be performed also for those hazard classes. Where the substance is not classified as a carcinogen or mutagen, at least the precautionary statements (P102-)P260-P262-P301 + P310-P331 shall apply.
- 2 The use of the substance is restricted by Annex XVII of REACH Regulation
- 3 Substance of unknown or variable composition, complex reaction products or biological materials - UVCB.
- 4 Fulfilled Note L

Full text of all classifications and hazard statements is given in the section 16.

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended



A. M. G. VENOL DPF CAT CLEANER

Creation date	8th August 2016	Version	3.0
Revision date	19th August 2025		

SECTION 4: First aid measures

4.1. Description of first aid measures

Do not perform artificial respiration without self-protection (e.g. a mask). Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards and make sure that airways are free; never induce vomiting. If the person vomits by himself, make sure that the vomit is not inhaled. In life threatening conditions first of all provide resuscitation of the affected person and ensure medical assistance. Respiratory arrest - provide artificial respiration immediately. Cardiac arrest - provide indirect cardiac massage immediately.

If inhaled

Remove the victim to fresh air, keep warm and at rest. If the injured person is not breathing, artificial respiration should be performed with the AMBU device or oxygen should be administered. These activities are performed by qualified personnel, as mouth-to-mouth resuscitation may be dangerous for the first aider. In case of unconsciousness, place the injured in a safe position. Call for medical attention.

If on skin

Take off contaminated clothing. Wash contaminated skin with plenty of soap and water, and then rinse with water. In case of disturbing symptoms, consult a doctor. Wash clothes before reuse.

If in eyes

Rinse the contaminated eyes thoroughly with water for at least 10-15 minutes with the eyelids open. Avoid strong water stream - risk of cornea damage. Protect non-irritated eye, remove contact lenses. Get medical attention immediately.

If swallowed

Get medical attention immediately. Never give anything by mouth to an unconscious person. Do not induce vomiting. In case of spontaneous vomiting, tilt the injured person forward to avoid choking.

4.2. Most important symptoms and effects, both acute and delayed

If inhaled

Temporary irritation of the mucosa may occur. Cough, headache. May cause drowsiness or dizziness.

If on skin

For a prolonged contact possible dryness, skin cracking and chronic dermatitis.

If in eyes

Redness, tearing, burning.

If swallowed

Nausea, vomiting, abdominal pain, diarrhea, possible gastrointestinal discomfort, lung damage such as bronchial pneumonia, death.

4.3. Indication of any immediate medical attention and special treatment needed

Decision on the method of the helping procedure shall be made by a physician after a thorough assessment of the victim's condition. Symptomatic treatment.

More information

Other relevant information is not available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Foams, water mist, dry agents, CO2.

Unsuitable extinguishing media

Water - full jet.

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Cool containers exposed to fire from a safe distance with a spray of water. Collect used extinguishing agents. Do not allow them to enter surface water, ground water or soil.. Wear general protective equipment typical for fire. Do not stay in a fire hazard zone without an appropriate clothing resistant to chemicals and a self-contained breathing apparatus. Caution! - danger of slipping on spilled product. Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended



A. M. G. VENOL DPF CAT CLEANER

Creation date 8th August 2016 Version 3.0
Revision date 19th August 2025

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For people not belonging to the personnel eliminating the consequences of the accident: limit the access of bystanders to the accident area until the completion of appropriate cleaning operations. In case of large spills, isolate the endangered area. Avoid contact with skin and eyes. Do not inhale vapors. Provide adequate ventilation. Keep away all sources of ignition, extinguish open fire, do not smoke. Use personal protection measures.

For persons decomposing the consequences of an accident: make sure that the removal of the failure and its effects is performed only by trained personnel. Avoid contact with skin and eyes. Use personal protection measures.

6.2. Environmental precautions

Do not dispose to drains, surface and ground water. For release of bigger amounts of the mixture take measures to prevent spreading in the environment. Notify relevant rescue services.

6.3. Methods and material for containment and cleaning up

Place the damaged packaging in a replacement packaging. Collect the leak with liquid-absorbing materials (eg sand, earth, diatomaceous earth, vermiculite) and place in closed containers. Treat the collected material as waste. Clean and ventilate the contaminated place. Do not use sparking tools. Dispose of at a licensed waste disposal contractor.

6.4. Reference to other sections

See the Section 7, 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Work in accordance with the safety and hygiene rules. Do not eat, drink or smoke while working. Avoid contact with eyes and skin. Avoid inhaling vapors and mists of the product. Wash hands and face before breaks and after work. Provide adequate ventilation. Remove sources of ignition. Do not use sparking tools. Use bridging and grounding of tanks. Avoid electrostatic discharge. Keep unused containers tightly closed. Uncleaned containers must not be heated, cut, drilled, grinded, welded or carried out in their vicinity.

7.2. Conditions for safe storage, including any incompatibilities

Store in original stainless steel wrapping or container in a dry, cool and well ventilated area. Avoid direct sunlight. Keep away from food, foodstuffs and animal fodder. Do not store together with incompatible substances (see section 10). Containers that have been opened must be resealed and stored in an upright position to prevent leakage.

The specific requirements or rules relating to the substance/mixture

Solvent vapours are heavier than air and accumulate especially near the floor where they may form an explosive mixture with the air.

7.3. Specific end use(s)

not available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

DNEL

Hydrocarbons, C10, aromatics, <1% naphthalene			
Workers / consumers	Route of exposure	Value	Effect
Workers	Dermal	12.5 mg/kg bw/day	Chronic effects systemic
Workers	Inhalation	151 mg/m ³	Chronic effects systemic
Consumers	Inhalation	32 mg/m ³	Chronic effects systemic
Consumers	Dermal	7.5 mg/kg bw/day	Chronic effects systemic
Consumers	Oral	7.5 mg/kg bw/day	Chronic effects systemic

8.2. Exposure controls

Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. If exposure limits cannot be observed in this mode, suitable protection of airways must be used. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

In case of danger of opening, wear tight glasses compliant with EN166 standards.

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended



A. M. G. VENOL DPF CAT CLEANER

Creation date	8th August 2016	Version	3.0
Revision date	19th August 2025		

Skin protection

Wear clothing and gloves: For short-term exposure, nitrile rubber gloves with performance level 2 or higher are recommended (penetration time > 30 minutes). Minimum thickness: 0.4 mm. For long-term exposure, fluororubber gloves with performance level 6 are recommended (exposure time 480 minutes).. The glove material has to be impermeable and resistant to the product. The choice of material should be made taking into account the breakthrough times, permeation rate and degradation. Moreover, the selection of the appropriate gloves does not only depend on the material, but also on other quality characteristics and varies from manufacturer to manufacturer. The exact break through time must be obtained from the glove manufacturer and must be observed.

Respiratory protection

Not required with proper ventilation. In case of failure or exposure to high concentration of vapors in the air, exceeding the permissible NDS values, use respiratory protection - a mask with an organic vapor absorber.

Thermal hazard

Data not available.

Environmental exposure controls

Avoid discharges to the environment, do not dispose to drains. Possible emissions from ventilation systems and process equipment should be checked for their conformity with the environmental protection law requirements.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	liquid
Colour	data not available
Odour	characteristic
Melting point/freezing point	data not available
Boiling point or initial boiling point and boiling range	>160 °C
Flammability	data not available
Lower and upper explosion limit	data not available
Flash point	>61 °C
Auto-ignition temperature	data not available
Decomposition temperature	data not available
pH	data not available
Kinematic viscosity	<1 mm ² /s at 40 °C
Solubility in water	insoluble
Partition coefficient n-octanol/water (log value)	data not available
Vapour pressure	data not available
Density and/or relative density	
Density	0.85-0.90 g/cm ³
Relative vapour density	data not available
Particle characteristics	data not available
Form	liquid

9.2. Other information

not available

SECTION 10: Stability and reactivity

10.1. Reactivity

When used in the standard way, there is not any dangerous reaction with other substances.

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

The product is stable under normal conditions.

10.4. Conditions to avoid

Do not heat. Avoid direct sunlight, sources of heat and ignition. Do not use sparking tools. Uncleaned containers must not be heated, cut, drilled, grinded, welded or performed in their vicinity.

10.5. Incompatible materials

Strong acids and strong bases.

10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended



A. M. G. VENOL DPF CAT CLEANER

Creation date 8th August 2016 Version 3.0
Revision date 19th August 2025

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Hazardous substances in concentrations exceeding exposure limits may cause acute inhalation poisoning, depending on the concentration and duration of exposure. No toxicological data is available for the mixture.

Acute toxicity

Based on the available data, the criteria for classification of the mixture are not met.

Benzenesulfonic acid, 4-dodecyl-, cerium(4+) salt, basic						
Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	LD ₅₀	OECD 401	2800 mg/kg bw		Rat (Rattus norvegicus)	

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics						
Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	LD ₅₀		>5000 mg/kg		Rat (Rattus norvegicus)	
Skin	LD ₅₀		>5000 mg/kg		Rabbit	
Inhalation	LC ₅₀		>4951 mg/m ³		Rat (Rattus norvegicus)	

Hydrocarbons, C10, aromatics, <1% naphthalene						
Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	LD ₅₀		7050 mg/kg		Rat (Rattus norvegicus)	
Dermal	LD ₅₀		>2000 mg/kg		Rabbit	
Inhalation	LC ₅₀		>4688 mg/m ³	4 hours	Rat (Rattus norvegicus)	

Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)						
Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	LD ₅₀	OECD 432	4150 mg/kg bw		Rat (Rattus norvegicus)	
Dermal	LD ₅₀	OECD 402	>2000 mg/kg		Rabbit	

Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, aromatics (2-30 %)						
Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	LD ₅₀	OECD 423	>4150 mg/kg bw		Rat (Rattus norvegicus)	
Dermal	LD ₅₀	OECD 402	>2000 mg/kg bw		Rabbit	

naphtha (petroleum), hydrodesulphurized heavy						
Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	LD ₅₀	OECD 401	>15000 mg/kg bw		Rat (Rattus norvegicus)	

Skin corrosion/irritation

Based on the available data, the criteria for classification of the mixture are not met.

Serious eye damage/irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Based on the available data, the criteria for classification of the mixture are not met.

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended



A. M. G. VENOL DPF CAT CLEANER

Creation date 8th August 2016 Version 3.0
Revision date 19th August 2025

Germ cell mutagenicity

Based on the available data, the criteria for classification of the mixture are not met.

Carcinogenicity

Based on the available data, the criteria for classification of the mixture are not met.

Reproductive toxicity

Based on the available data, the criteria for classification of the mixture are not met.

Toxicity for specific target organ - single exposure

Based on the available data, the criteria for classification of the mixture are not met.

Toxicity for specific target organ - repeated exposure

May cause damage to organs through prolonged or repeated exposure. Data for the components of the mixture are not available.

Aspiration hazard

May be fatal if swallowed and enters airways. Data for the components of the mixture are not available.

11.2. Information on other hazards

Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

Other information

not available

SECTION 12: Ecological information

12.1. Toxicity

Toxic to aquatic life with long lasting effects.

Acute toxicity

Benzenesulfonic acid, 4-dodecyl-, cerium(4+) salt, basic					
Parameter	Method	Value	Exposure time	Species	Environment
EC ₅₀	OECD 202	6.9-16 mg/l	48 hours	Daphnia (Daphnia magna)	
ErC ₅₀	OECD 201	1.1 mg/l	72 hours	Algae (Pseudokirchneriella subcapitata)	

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics					
Parameter	Method	Value	Exposure time	Species	Environment
LL ₅₀		>1000 mg/l	96 hours	Fish (Oncorhynchus mykiss)	
EL ₅₀		>1000 mg/l	48 hours	Invertebrates (Daphnia magna)	
EC ₅₀		>1000 mg/l	72 hours	Algae (Pseudokirchneriella subcapitata)	

Hydrocarbons, C10, aromatics, <1% naphthalene					
Parameter	Method	Value	Exposure time	Species	Environment
LL ₅₀		2-5 mg/kg	96 hours	Fish	
LL ₅₀		3-10 mg/l	48 hours	Invertebrates	
EL ₅₀		1-3 mg/l	72 hours	Algae	

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended



A. M. G. VENOL DPF CAT CLEANER

Creation date 8th August 2016 Version 3.0
Revision date 19th August 2025

naphtha (petroleum), hydrodesulphurized heavy					
Parameter	Method	Value	Exposure time	Species	Environment
LL ₅₀	OECD 203	10-30 mg/l	96 hours	Fish (Oncorhynchus mykiss)	
EL ₅₀	OECD 202	10-22 mg/l	48 hours	Daphnia (Daphnia magna)	
EC ₅₀	OECD 201	0.94 mg/l	72 hours	Algae (Selenastrum capricornutum)	

Chronic toxicity

naphtha (petroleum), hydrodesulphurized heavy					
Parameter	Method	Value	Exposure time	Species	Environment
NOEC	OECD 211	0.097 mg/l	21 hours	Daphnia (Daphnia magna)	

12.2. Persistence and degradability

Data not available.

Biodegradability

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics					
Parameter	Method	Value	Exposure time	Environment	Result
		80 %	28 days		Easily biodegradable

Hydrocarbons, C10, aromatics, <1% naphthalene					
Parameter	Method	Value	Exposure time	Environment	Result
		49.6 %	28 days		Biodegradable

naphtha (petroleum), hydrodesulphurized heavy					
Parameter	Method	Value	Exposure time	Environment	Result
	OECD 301F	74.7 %	28 days		Easily biodegradable

12.3. Bioaccumulative potential

Data not available.

Benzenesulfonic acid, 4-dodecyl-, cerium(4+) salt, basic			
Parameter	Method	Value	Temperature [°C]
Log Pow	OECD 123	2.2	23°C

12.4. Mobility in soil

The product does not dissolve in water. The mobility of substances / components of the mixture depends on their hydrophilic and hydrophobic properties as well as abiotic and biotic conditions of the soil, including its structure, climatic conditions, season of the year and soil organisms.

12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7. Other adverse effects

not available

SECTION 13: Disposal considerations

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended



A. M. G. VENOL DPF CAT CLEANER

Creation date	8th August 2016	Version	3.0
Revision date	19th August 2025		

13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling. The waste code should be given at the place of its production.

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

SECTION 14: Transport information

14.1. UN number or ID number

not subject to transport regulations

14.2. UN proper shipping name

not relevant

14.3. Transport hazard class(es)

not relevant

14.4. Packing group

not relevant

14.5. Environmental hazards

not relevant

14.6. Special precautions for user

Reference in the Sections 4 to 8.

14.7. Maritime transport in bulk according to IMO instruments

not relevant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended



A. M. G. VENOL DPF CAT CLEANER

Creation date	8th August 2016	Version	3.0
Revision date	19th August 2025		

Restrictions pursuant to Annex XVII of Regulation (EC) No. 1907/2006 (REACH), as amended

naphtha (petroleum), hydrodesulphurized heavy

Restriction	Conditions of restriction
28	1. Shall not be placed on the market, or used, — as substances, — as constituents of other substances, or, — in mixtures, for supply to the general public when the individual concentration in the substance or mixture is equal to or greater than: — either the relevant specific concentration limit specified in Part 3 of Annex VI to Regulation (EC) No 1272/2008, - or, — the relevant generic concentration limit specified in Part 3 of Annex I of Regulation (EC) No 1272/2008. Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of such substances and mixtures is marked visibly, legibly and indelibly as follows: "Restricted to professional users". 2. By way of derogation, paragraph 1 shall not apply to: (a) medicinal or veterinary products as defined by Directive 2001/82/EC and Directive 2001/83/EC; (b) cosmetic products as defined by Directive 76/768/EEC; (c) the following fuels and oil products: — motor fuels which are covered by Directive 98/70/EC, — mineral oil products intended for use as fuel in mobile or fixed combustion plants, — fuels sold in closed systems (e.g. liquid gas bottles); (d) artists' paints covered by Regulation (EC) No 1272/2008; (e) the substances listed in Appendix 11, column 1, for the applications or uses listed in Appendix 11, column 2. Where a date is specified in column 2 of Appendix 11, the derogation shall apply until the said date. (f) devices covered by Regulation (EU) 2017/745.
29	1. Shall not be placed on the market, or used, — as substances, — as constituents of other substances, or, — in mixtures, for supply to the general public when the individual concentration in the substance or mixture is equal to or greater than: — either the relevant specific concentration limit specified in Part 3 of Annex VI to Regulation (EC) No 1272/2008, - or, — the relevant generic concentration limit specified in Part 3 of Annex I of Regulation (EC) No 1272/2008. Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of such substances and mixtures is marked visibly, legibly and indelibly as follows: "Restricted to professional users". 2. By way of derogation, paragraph 1 shall not apply to: (a) medicinal or veterinary products as defined by Directive 2001/82/EC and Directive 2001/83/EC; (b) cosmetic products as defined by Directive 76/768/EEC; (c) the following fuels and oil products: — motor fuels which are covered by Directive 98/70/EC, — mineral oil products intended for use as fuel in mobile or fixed combustion plants, — fuels sold in closed systems (e.g. liquid gas bottles); (d) artists' paints covered by Regulation (EC) No 1272/2008; (e) the substances listed in Appendix 11, column 1, for the applications or uses listed in Appendix 11, column 2. Where a date is specified in column 2 of Appendix 11, the derogation shall apply until the said date. (f) devices covered by Regulation (EU) 2017/745.

15.2. Chemical safety assessment

Chemical safety assessment for the mixture is not required.

SECTION 16: Other information

A list of standard risk phrases used in the safety data sheet

EUH066	Repeated exposure may cause skin dryness or cracking.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H340	May cause genetic defects.

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended



A. M. G. VENOL DPF CAT CLEANER

Creation date	8th August 2016	Version	3.0
Revision date	19th August 2025		

H372	Causes damage to the central nervous system through prolonged or repeated exposure.
H373	May cause damage to organs through prolonged or repeated exposure.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Guidelines for safe handling used in the safety data sheet

P260	Do not breathe mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P331	Do NOT induce vomiting.
P337+P313	If eye irritation persists: Get medical advice/attention.
P501	Dispose of contents/container properly labeled waste containers in accordance with national regulations.

Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

Key to abbreviations and acronyms used in the safety data sheet

ADR	Agreement concerning the international carriage of dangerous goods by road
Aquatic Chronic	Hazardous to the aquatic environment (chronic)
Asp. Tox.	Aspiration hazard
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
EC	Identification code for each substance listed in EINECS
EC ₅₀	Concentration of a substance when it is affected 50 % of the population
EINECS	European Inventory of Existing Commercial Chemical Substances
EL ₅₀	Effective Loading for 50 % of the tested organisms
EmS	Emergency Response Procedures for Ships Carrying Dangerous Goods
EU	European Union
EuPCS	European Product Categorisation System
Eye Dam.	Serious eye damage
Eye Irrit.	Eye irritation
IATA	International Air Transport Association
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
LC ₅₀	Lethal concentration of a substance in which it can be expected death of 50% of the population
LD ₅₀	Lethal dose of a substance in which it can be expected death of 50% of the population
LL ₅₀	Lethal Loading for 50 % of tested organisms
log Kow	Octanol-water partition coefficient
Muta.	Germ cell mutagenicity
NOEC	No observed effect concentration
OEL	Occupational Exposure Limits
PBT	Persistent, bioaccumulative and toxic
PMT	Persistent, mobile and toxic
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Regulation concerning the International Carriage of Dangerous Goods by Rail
Skin Irrit.	Skin irritation
STOT RE	Specific target organ toxicity - repeated exposure
STOT SE	Specific target organ toxicity - single exposure

SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

A. M. G. VENOL DPF CAT CLEANER

Creation date	8th August 2016	Version	3.0
Revision date	19th August 2025		

UN number	Four-figure identification number of the substance or article taken from the UN Model Regulations
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very persistent and very bioaccumulative
vPvM	Very persistent and very mobile

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

The changes (which information has been added, deleted or modified)

Version 3.0 replaces the version of the CC dated January 31, 2023. Changes have been made to sections 1-16.

More information

Classification procedure - calculation method.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.